

**SIMPLEX COMPLETE EQUIPMENT SCHEDULE  
TRUCK, CARRYALL, LIGHTWEIGHT, MODIFIED MILITARY SPECIAL, WITH  
WINCH, MC2/3**

**ITEMS SUPPLIED/ISSUED WITH TRUCK**

**PART 1 – Principal Items  
NIL**

**PART 2A – Items Essential to Operation of Equipment**

Item No	NATO Stock No.	Designation	Unit of Issue	Quantity per sub-assembly	Quantity per equipment	Expendability classification	Footnote
1	5120-66-048-8548	Baseplate, Jack Wooden, 12 in x 12 in. x 2 in.			1	X	
2	NIC	Battery, Storage, 12V, 23 Plate, 80 C.C.A., 330mm Lg x 172mm H x 235mm W			1	N	
3	8115-66-022-0114	Box, Small Parts, Plastic, 4-1/2 in. Lg x 2-1/2 in. W x 2-3/4 in. H, W/Lid			1	N	
4	7530-66-107-1001	Book, Record, TGM 120, Record Book for Service Equipment			1	X	B
5	4210-66-089-8751	Extinguisher, Fire, Dry Powder, 1.5kg dry capacity, Stored Pressure, Regulated Discharge Type			1	N	
6	NIC	Gauge, Tyre Pressure, Self Contained, 0-1100 kpa & 0-160 psi, with Pouch			1	X	
7	2610-66-010-7864	Inner Tube, Pneumatic Tyre, Light Truck, 7.50 16, TR 15 Valve			1	N	A
					<b>Quantity</b>	<b>Expend</b>	

Item No	NATO Stock No.	Designation	Unit of Issue	Quantity per sub-assembly	per equipment	-ability classification	Footnote
8	5120-66-012-6101	Jack, Hydraulic, Hand, Double Lift 7-1/2 in. Closed H, 17 in. Extended, 5 Ton W/Handle			1	N	
9	5120-66-014-0251	Pliers, Combination Side Cutting, W/Pipe Grip and Serrated Jaws, Insulated, 6 in. Nom Lg			1	N	
10	4320-00-852-9036	Pump Inflating, Manual, Hand Operated, Single Action, W/30 in. Lg Hose and Adaptor			1	X	
11	NIC	Curtain, Side, Blackout and Camouflage, RH & LH, DPP Canvas, 340 gm/m2, 2100 mm LG, 770 mm H, C/W 4 mm DIA, 400 mm LG Green Cord Stitched in 8 Places and 4 mm DIA, 1700 mm LG Green Cord Crimped in 2 Places			2	X	
12	NIC	Curtain, Rear, Blackout and Camouflage, DPP Canvas, 340 gm/m2, 1580 mm LG, 810 mm H, C/W 4 mm DIA, 400 mm LG Green Cord Stitched in 4 Places and 4 mm DIA, 1700 mm LG Green Cord Crimped in 2 Places			1	X	
13	NIC	Roll, Tools and Accessories, Nylon Shower Finish, 2 Pockets, 18 Loops, 700mm Lg, 380 mm W, W/2 Flaps			1	X	
14	5120-66-024-7832	Screwdriver, Crosstip, Cellulose Acetate Handle Phillips No. 3 x 150mm Lg Blade			1	X	
15	5120-66-026-0206	Screwdriver, Flat Tip, Cellulose Acetate Handle, 8 mm W Tip x 150mm Lg Blade			1	N	
16	2610-66-108-0508	Tyre, Pneumatic, Vehicular 7.50R16LT/10, Radial Ply, Steel Trek			1	N	A
17	NIC	Chock, Wheel, Pressed Steel, Fixed Ramp Type, 274 mm LG, 150 mm H, 85 mm W.			2	N	
18	2530-66-128-5044	Wheel, Pneumatic Tyre, 6.00 x 16			1	N	A
19	5120-66-013-6747	Wrench, Open End, Adjustable, 250mm Nom Size			1	X	
					<b>Quantity</b>	<b>Expend</b>	

Item No	NATO Stock No.	Designation	Unit of Issue	Quantity per sub-assembly	per equipment	-ability classification	Footnote
20	5120-66-016-1257	Wrench, Open End, Fixed, Double Ended, 15 Degree Offset, ½ in. and 9/16 in. A/F			1	N	
21	5120-66-016-1255	Wrench, Open End, Fixed, Double Ended, 15 Degree Offset, 5/8 in. and 11/16 in. A/F			1	N	
22	5120-66-016-0098	Wrench, Ring, Bi-Hexagon, Double Offset, Double Ended, ½ In. and 9/16 in. A/F			1	X	
23	5120-66-016-1851	Wrench, Ring, Bi-Hexagon, Double Offset, Double Ended, 5/8 in. and 11/16 in. A/F			1	X	
24	NIC	Wrench, Socket, Wheelnut, 4 Way Type 15-16 in. and 1-1/16 in. x 16 in. Nom Lg O/A			1	N	
25	NIC	Wrench, Open End Fixed Double Ended 15 Deg offset, 7/16 in and ½ in AF			1	X	
26	NIC	Wrench, Open End Fixed Double Ended 15 Deg offset, 10mm and 13mm AF			1	X	
27	NIC	Pliers, Slip Joint, Multi Grip, W/Pipe Grip and Serrated Jaws, insulated, 10 in Nom. Lg			1	N	
28	NIC	Plug, Drain, Flywheel Housing and Diesel Engine Timing Cover			2	N	
29	NIC	Key, Allen, 6 mm A/F Short End			1	X	

**Footnotes**

- A. Spare
- B. Individual pages to be demanded as per User Catalogue for Stationery Supplies (FORMS).

## SIMPLEX COMPLETE EQUIPMENT SCHEDULE EQUIPMENT KIT

### ITEMS REQUIRED TO MAKE UP THE EQUIPMENT KIT

#### PART 1 – Principal Items NIL

#### PART 2A – Items Essential to Operation of Equipment

Item No	NATO Stock No.	Designation	Unit of Issue	Quantity per sub-assembly	Quantity per equipment	Expend-ability classification	Footnote
1	5110-66-011-0377	Axe, Single Bit, 2 kg, 820 mm Lg			1	X	
2	7240-66-021-5710	Can, Dispensing, Funnel Top, Tin Plate, 1 pint Capacity, W/O Handle			1	X	
3	7240-99-802-2405	Can, Gasoline, Military, Steel, 4-1/2 gallon			1	N	
4	8110-66-016-0717	Can, Screw Cap, Oil, Rect Shape, 5 Litre			1	N	
5	7240-66-054-8602	Can, Water, Military, Plastic, 22 Litre			1	X	
6	2460-00-060-3550	Cap, Pneumatic Valve, Brass, Sealing and Deflating, 5/16 in. Unif Int Thd			5	X	
7	4010-66-086-8463	Chain Assembly, Single Leg, Alloy Steel, 9/32 in. Dia, Oblong Link One End, Latch Hook Other End 3.75 m Lg, 3136lb, Swl	AY		1	N	
8	5120-66-012-6821	Handle, Mattock-Pick, 5 lb. Pick			1	X	
9	5340-66-025-0498	Holder Key, Steel, 3/4 in. ID			2	X	
10	5970-66-018-8475	Insulation Tape, Electrical, Black,. 18 mm W x 20 M Lg			1	X	
11	6240-66-022-3583	Lamp, Incandescent, 12V, 21/6 W, Double Contact Bayonet Candelabra Indexing (Bay 15D)			2	X	

Item No	NATO Stock No.	Designation	Unit of Issue	Quantity per sub-assembly	Quantity per equipment	Expend-ability classification	Footnote
12	6240-66-010-8161	Lamp, Incandescent, 12V, 21 W, Single Contract Bayonet Candelabra Base, 'S' Shape, Clear			2	X	
13	6240-66-013-8678	Lamp, Incandescent, 12V, 6 W, Single Contact Bayonet (BA 9S) Base, 'S' Shape, Clear			2	X	
14	6240-66-010-7460	Lamp, Incandescent, 12V, 5 W, Single Contact Bayonet Candelabra Base, 'G' Shape, Clear			3	X	A
15	NIC	Light Extension, 12V, C/W Cable and Plug, W/O Globe			1	N	
16	5120-66-012-6893	Pick, Digging, W/O Handle, 5 lb			1	X	
17	4030-66-123-1450	Shackle, Dee, Alloy Steel, Quality Grade S, 19mm Nom Size, C/w Metric Thd Collard Eye Pin, 4.7 Tonne WII, Zinc Coated			2	X	
18	5120-66-093-8563	Shovel, Hand, GS, Rd Point Blade, Plastic D-Handle, Black or Dark Green, 35-1/2 in. Lg O/A			1	X	
19	9905-66-018-3897	Sign, Warning, Portable, Motor Vehicle			3	X	
20	2640-00-050-1229	Valve Core, Pneumatic Tyre			5	X	
21	7240-66-063-2338	Filler Neck, Pourer, Goose Neck Type, Jerrican			1		
22	NIC	Winch Control, Remote, Hand Held, Switching, Complete with Cable			1	N	
23	NIC	Cover, DPP Canvas, 340 gm/m2, Spare Wheel			1	X	
24	NIC	Cover, Seat, Squab, Front, DPP Canvas, 340 gm/m2			2	X	
25	NIC	Cover, Seat, Squab, Rear, DPP Canvas, 340 gm/m2			2	X	
26	NIC	Cover, Seat, Cushion, Front, DPP Canvas, 340 gm/m2			2	X	
27	NIC	Cover, Seat, Cushion, Rear, DPP Canvas, 340 gm/m2			2	X	
28	NIC	Protector, Seat Belt, DPP Canvas, 340 gm/m2			2	X	

<b>Item No</b>	<b>NATO Stock No.</b>	<b>Designation</b>	<b>Unit of Issue</b>	<b>Quantity per sub-assembly</b>	<b>Quantity per equipment</b>	<b>Expend-ability classification</b>	<b>Footnote</b>
29	NIC	Gloves, Industrial, Leather Reinforced Palm, Canvas Back, 250 mm LG, Mens Size			1 Pair	X	

**Footnotes**

A. Qty. 1 for Light Extension, two spare