

EQUIPMENT TABLE - PART 4
COMPLETE EQUIPMENT SCHEDULE
FOR

CES (Aust) No 2170
ISSUE 1
DATED Oct 63

INSTRUMENT REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS, No. 2, Land Rover
series 2, 109 in. WB chassis - COMPLETE EQUIPMENT

IMPORTANT

- (i) The stock number and designation which identifies the total collection of items listed in this CES is :-
4940-66-018-7158 INSTRUMENT REPAIR SHOP, TRUCK MOUNTED AND ACCESSORY-MAINTENANCE KIT, 3/4 ton, GS, No. 2, CES 2170
- (ii) The census code number and designation which identifies the collection of items listed in Part 1 of this CES is :-
6048B INSTRUMENT REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS, No. 2, Land Rover series 2, 109 in. WB chassis, Part 1 items
- (iii) The stock number and designation which identifies the collection of items listed in Part 2 of this CES is :-
2540-66-015-5449 ACCESSORY-MAINTENANCE KIT, TRUCK UTILITY, Land Rover series 2, 12 volt electrical system (CES 2072)

<u>CONTENTS</u>				<u>AMENDMENTS</u>		
				BULLETIN No.	DATE	
<u>PART 1 - BASIC EQUIPMENT</u>						
<u>PART 2 - ASSOCIATED STORES</u>						
<u>PART 3 - INFORMATION SECTION</u>						
1	2		3	4		5
Item No.	Stock No.		Designation	Quantity		Foot-note ref
	Sec/Class	Census Code No.		a	b	
			<u>PART 1</u>			
1		6048B	INSTRUMENT REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS, No. 2, Land Rover series 2, 109 in. WB		1	IX
		<u>Item Ident No.</u>	Includes items 2 to 127 -			
		6140 66-010-7867	BATTERY, STORAGE, lead acid type, 12 V, 9 plate, 68 amp hr, 12-1/16 in. lg by 6-3/4 in. w by 8-7/8 in. h	1		IX (b)
2		2540 66-010-5973	BLADE, WINDSHIELD WIPER, 11 in.	2		IX (a)
3			BRACKET, rifle holder	2		IX (a)
4			COVER, canvas, cab	1		IX (a)
5		LV6/MT1 0881-Z	EXTINGUISHER, fire, tetra-chloride type, 1 quart, 'T' type handle, less bracket	1		IX (b)
6		2610 66-010-7864	INNER TUBE, PNEUMATIC TYRE, truck type, 7.50-16, valve TR15	1		IX (c)
7			LOCKER, tyre chains	1		IX (a)
8		2540 66-010-5970	MIRROR ASSEMBLY, REAR VIEW, exterior	2		IX (a)
9			TABLE, recording, Section Leaders	1		IX (a)
10			TOOL BOX, accessory-maintenance kit	1		IX (a)
11		2610 66-010-7865	TYRE, PNEUMATIC, light truck type, CCND, 7.50-16 by 6 ply	1		IX (c)
12			VALISE, works documents	3		IX (a)
13		7530 AB 416	VEHICLE LOG BOOK - "B" Vehicles, Includes Cover and Sections 1, 2, 3, 4A, 5	1		IX

CES (Aust) No. 2170

INSTRUMENT REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS, No. 2, Land Rover
series 2, 109 in. WB chassis - COMPLETE EQUIPMENT - (Cont.)

1	2	3	4		5	6
			a	b		
		<u>PART 1 (Cont.)</u>				
14	7530	AB416-4-49				
		VEHICLE LOG BOOK - (Cont.)				
		Section 4, Servicing Schedule for TRUCK,				
		1/4 and 3/4 ton, GS, Land Rover series 2	1		X	
15	7530	AB 417	1		X	
16	2530	66-010-5971	1		XX	(a)
		VEHICLE RECORD BOOK, "B" Vehicles				
		WHEEL, PNEUMATIC TYRE, disc, wall base, 16 in.				
		<u>SHELTER EQUIPMENT</u>				
		COVER, canvas -				
17		platform body	1		XX	(d)
18		shelter, 16 ft. x 10 ft. 8 in.	1		XX	(a)
		EXTENSION, pole -				
19		cover, canvas, shelter	4		X	(a)
20		side support, wood, 41 in.	1		X	(a)
21		FLOOR, canvas, shelter	1		XX	(a)
22		FOOTPLATE, aluminium, 4 in. x 4 in.	5		X	(a)
23		FRAME ASSEMBLY, cover, canvas, platform body	1		XX	(a)
24		PEG, shelter	10		X	(a)
25		POLE, ridge, aluminium, 3 ft. 6 in.	3		XX	(a)
26		POLE, side support, wood -				
		37 in.	5		X	(a)
27		47 in.	5		X	(a)
		ROPE -				
28		lacing, floor	1		X	(a)
29		side, ridge	2		X	(a)
30		stay, No. 1	2		X	(a)
31		stay, No. 2	4		X	(a)
		SHELTER SECTION, canvas -				
32		No. 1	1		XX	(a)
33		No. 2	1		XX	(a)
34		No. 3	1		XX	(a)
35		No. 4	1		XX	(a)
36		No. 5	1		XX	(a)
37		No. 6	1		XX	(a)
38		No. 7	1		XX	(a)
39		SKIRTING, canvas, shelter	1		XX	(a)
40		STAKE, support, steel	2		X	(a)
		SUPPORT -				
41		angle, aluminium	4		XX	(a)
42		pole, ridge, aluminium	2		XX	(a)
43		VALISE, shelter sections	1		XX	(a)
		<u>CAMOUFLAGE EQUIPMENT</u>				
44		NET, camouflage	1		XX	(a)
		<u>LIGHT AND POWER EQUIPMENT</u>				
		CORD ASSEMBLY ELECTRICAL -				
45	6150	66-017-3659	1		XX	
46	6150	66-017-3661	1		XX	
47	6150	66-017-3662	1		XX	
48	6150	66-017-3660	1		XX	
49	5975	99-943-9502	1		X	(a)
50	6110	66-017-2166	1		XX	
		ROD BARTHING, MS, 36 in. lg x 1-11/32 in. dia				
		SWITCHBOARD, POWER				

INSTRUMENT REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS, No. 2, Land Rover
series 2, 109 in. WB chassis - COMPLETE EQUIPMENT - (Cont.)

1		2		3		4		5		6	
						a		b			
PART I (Cont.)											
SHOP EQUIPMENT											
ADAPTOR, scale testing tripod -											
51	V7	OS 3499 A	No. 1, Mcl	1						XX	
52	V7	OS 3819 A	No. 2, Mcl	1						XX	
53	V7	OS 3498 A	No. 3, Mcl	1						XX	
54	V7	OS 53188	No. 5, Mcl	1						XX	
55	V7	OS 53183	No. 6, Mcl	1						XX	
56	V7	OS 3866 A	No. 7, Mcl	1						XX	
57	V7	OS 3482 A	No. 8, Mcl	1						XX	
58	V7	OS 53186	No. 9, Mcl	1						XX	
59	V7	OS 3199 A	No. 12, Mcl	1						XX	
60	V7	OS 60437	No. 13, Mcl	1						XX	
61	V7	OS 60438	No. 14, Mcl	1						XX	
62	V7	OS 3313 A	No. 16, Mcl	1						XX	
63	V7	VGA 0001	(Aust), Mcl	1						XX	
64	F1	FA 10240	BLOCK, vee and clamp, 2 in.	1						XX	
65	5345	66-010-1098	BOX, BENCH STONE, wood, 8 in. by 2 in. by 1 in.	1						X	
66	V5	OS-11637	BOX, Mk3 to 6A field alinometer	1						X	
67	V7	VGA 0002	BRACKET, testing, mortar sight scale	1						XX	
68	7920	66-012-0777	BRUSH, DUSTING, PAINTERS	1						XX	
69	KE	KE 0888	BRUSH, sweeping, hand	1						X	
70			CABINET, plywood, 36 in. by 32 in. by 17 in., with 5 stainless steel drawers	1						XX	(a)
71	3460	66-014-3138	CLAMP, PARALLEL, TOOLMAKERS, 2 in. lg of jaw	1						XX	
72	V5	OS 3276 A	CLINOMETER, field, Mk6	1						XX	
73			CHEST, multi-drawer	1						XX	(a)
74	V7	VGA 0056	COLLIMATOR KIT, panoramic telescope, No. 107, (Aust) No. 1 (CES 3306)	1						XX	
			COLLIMATOR -								
75	4931	66-011-9124	BINOCULAR, PERISCOPE, APV, (Aust) cased	1						XX	
76	V7	VG 0028	binocular, projection type, Mcl	1						XX	
77	V7	OS 875 A	small, general purpose, Mcl	1						XX	
78	5120	66-014-0131	BLOWTORCH, KEROSENE, 1 pt	1						XX	
79	V7	VG 0033	COMPASS, sub-standard, telescopic	1						XX	
			CUTTER, GLASS -								
80	5110	66-010-1310	circular, 10 in. complete	1						XX	
81	5110	66-014-4054	one wheel	1						XX	
82	V7	VG 0035	DEMAGNETISER, watch	1						XX	
83	W6	JD 5170	DISH, developing, No. 2, 10 in. x 8 in.	2						XX	
84	5110	66-013-2979	DRILL, HAND, 1/4 in. capacity	1						XX	
85	V7	VGA 0026	GAUGE, slip, micrometer checking, cased	1						XX	
86	F1	FA 19415	GLASS coverings	5						XX	
87	3439	66-014-2448	HOLDER, SOLDERING IRON, "Adcola"	1						XX	
88	F1	FA 15030	LAMP, spirit, 1/2 pint	1						XX	
89	X2	XBA 2301	LAMP, electric, screwdown type, "Plant", modified	2						XX	
90	3416	66-017-3650	LATHE, ENGINE, 2-1/2 in. centre, 240 V, "Lorch" type LAS	1						XX	
91	V7	VGA 0004	LEVEL, testing, verticality	1						XX	
			LIGHT EXTENSION, fluorescent -								
92	6230	66-017-3647	12 V, ac, w/battery clips, Burnbrite TRS/12/10	1						XX	
93	6230	66-017-3648	240 V, ac, 20 watt, Burnbrite NB/20/230	3						XX	
94	W3	WCA 6324	MACHINE, cleaning watches, 240 V, "Roger" (CES 1690)	1						XX	
95	W3	WCA 6305	MACHINE, cutting, watch glasses, "National"	1						XX	
96	F1	FA 15165	MICROMETER, English, outside 0-1 in.	1						XX	
97	H6	HFA 0251	MICROSCOPE, pocket	1						XX	
98	4930	66-011-0796	OILER, HAND, force feed, 1/2 pint	1						XX	

INSTRUMENT REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS, No. 2, Land Rover
Series 2, 109 in. WB chassis - COMPLETE EQUIPMENT - (Cont.)

1	2		3	4		5	6
				a	b		
			<u>PART 1 (Cont.)</u>				
			<u>SHOP EQUIPMENT (Cont.)</u>				
99			PEDESTAL, portable	1		HX	(a)
100	W3	WCA 6333	PRESS, fitting, watch glass, "National"	1		HX	
			REAMER, Hand, taper pin -				
101	5110	66-011-6245	1/16 in.	2		HX	
102	5110	66-011-4822	5/64 in.	2		HX	
103	5110	66-011-4823	3/32 in.	2		HX	
104	5110	66-011-4824	7/64 in.	2		HX	
105	5110	66-011-4825	1/8 in.	2		HX	
106	V7	VGA 0050	RECORDER, WATCH MOVEMENT, "Reglograph", model W 940	1		HX	
107	7340	66-016-0194	SCISSORS, HOUSEHOLD, 6 in.	1		HX	
108	3439	66-015-9720	SOLDERING IRON, ELECTRIC, 240 V, 23 W, 3/16 in. dia, detachable bit, c/w cord and 3 pin plug	1		HX	
109	5345	66-010-1097	STONE, SHARPENING, bench, combination, aluminium oxide, 8 in. by 2 in. by 1 in.	1		HX	(a)
110			STOOL, folding	2		HX	
111	F1	FA 17981	TACHOMETER, hand, 10000 RPM	1		HX	
112	V7	WEA 3800	TELESCOPE, auxiliary, No. 2, Mk1, (Aust)	1		HX	
			TOOL -				
			angle measuring instrument -				
113	V7	VG 0108	No. 1, Mk1	1		HX	
114	V7	VG 0110	No. 3, Mk1	1		HX	
115	V7	VG 0111	No. 4, Mk1	1		HX	
			binocular -				
116	V7	VG 0117	No. 5, Mk1	1		HX	
117	V7	OS 3320A	No. 8, Mk1	1		HX	
118	V7	OS 3325A	No. 13, Mk1	1		HX	
119	V7	VG 0119	instrument withdrawing, universal screwcutting-	1		NY	
120	F1	FAA 3895	ANF, sets No. 0, (Aust) (CES 732)	1		HX	
121	F1	FA 18605	BA, sets No. 1 (CES 736)	1		HX	
122	F1	FAA 5213	BA, sets No. 2, Aust (CES 737)	1		HX	
123	F1	FAA 5541	metric, international standard, No. 1 (Aust) (CES 755)	1		HX	
124	V7	OS 1818GA	TRIPOD, testing, scale, Mk1A	1		HX	
125	V5	VE 0295	TWEEZER, prism, Mk1	1		HX	
126	W10	VG 7230	WATCH, keyless, 1/2 chronometer	1		HX	
			<u>PART 2</u>				
127	2540	66-015-5449	ACCESSORY-MAINTENANCE KIT, TRUCK, UTILITY, Land Rover series 2, 12 volt electrical system (CES 2071)		1	HX	
			<u>PART 3</u>				
			<u>ROLE</u>				
			The unit is designed to provide machinery and test equipment facilities to undertake field repair of instruments normally found in field formations.				

CES (AUST) No. 2170

Issue 1

Dated Nov 63

INSTRUMENT REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS, No. 2, Land Rover
Series 2, 109 in. WB chassis - COMPLETE EQUIPMENT - (Cont.)

1	2	3	4		5	6
			a	b		
		<u>PART 2 (Cont.)</u> <u>GENERAL DESCRIPTION</u> This equipment is designed to be used in conjunction with "Instrument Repair Shop, Trailer Mounted, 1/2 ton, No. 1" to form a complete unit. <u>SPECIAL ACCOUNTING INSTRUCTION</u> For unit accounting purposes, the battery and fire extinguisher are part of the basic equipment, but they may be accounted for by Ordnance Depots as separate items of supply. <u>ASSOCIATED DOCUMENTS</u> AG in WM 22705 Maintenance Scale Aust/MT/147 (chassis only) The following CES's are used in conjunction with this CES :- 732, 736, 737, 755, 1690, 2071, 3306 <u>FOOTNOTES</u> (a) The CES will be amended to include Stock Numbers when information becomes available for cataloguing purposes. (b) Refer special accounting instruction, above. (c) Spare. (d) For earthing the vehicle frame				

CES(AUST) No. 2170

Page 5 of 5