

EQUIPMENT TABLE - PART 4
COMPLETE EQUIPMENT SCHEDULE
FOR

CES (Aust) No 2173
ISSUE 1
DATED October

ELECTRONIC EQUIPMENT REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS,
telecommunication, No 2, Land Rover series 2, 109 in. WB chassis
- COMPLETE EQUIPMENT -

IMPORTANT

- (i) The stock number and designation which identifies the total collection of items listed in this CES is -
4940-66-018-7160 ELECTRONIC EQUIPMENT REPAIR SHOP, TRUCK MOUNTED AND ACCESSORY-MAINTENANCE KIT, 3/4 ton, GS, telecommunication, No 2, CES 2173
- (ii) The census code number and designation which identifies the collection of items listed in Part 1 of this CES is -
6040A ELECTRONIC EQUIPMENT REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS, telecommunication, No 2, Land Rover series 2, 109 in. WB chassis, Part 1 items.
- (iii) The stock number and designation which identifies the collection of items listed in Part 2 of this CES is -
2540-66-015-5449 ACCESSORY-MAINTENANCE KIT, TRUCK UTILITY, Land Rover series 2, 12 volt electrical system. (CES 2071)

CONTENTS

PART 1 - BASIC EQUIPMENT
PART 2 - ASSOCIATED STORES
PART 3 - INFORMATION SECTION

AMENDMENTS

BULLETIN No. DATE

1	2		3	4		5	6
Item No.	Stock No.		Designation	Quantity		Exp Class	Foot-note ref
	Sec/Class	Census Code No		a	b		
1		6040A	PART 1 ELECTRONIC EQUIPMENT REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS, telecommunication, No 2, Land Rover series 2, 109 in. WB chassis <u>Includes</u> items 2 to 133	-	1	NX	
2	6140	66-010-7867	BATTERY, STORAGE, lead acid type, 12V, 9 plate, 68 amp hr, 12-1/16 in. lg by 6-3/4 in. w by 8-7/8 in. h	1	-	NX	(b)
3	2540	66-010-5973	BLADE, WINDSHIELD WIPER, 11 in.	2	-	NX	
4			BRACKET, rifle holder	2	-	X	(a)
5			COVER, canvas, cab	1	-	NX	(a)
6	LV6/MT1	0881-Z	EXTINGUISHER, fire, tetra-chloride type, 1 quart, "T" type handle, less bracket	1	-	NX	(b)
7	2610	66-010-7864	INNER TUBE, PNEUMATIC TYRE, truck type, 7.50-16, valve TR15	1	-	NX	(c)
8			LOCKER, tyre chains	1	-	NX	(a)
9	2540	66-010-5970	MIRROR ASSEMBLY, REAR VIEW, exterior	2	-	NX	
10			TABLE, recording, Section Leaders	1	-	NX	(a)
11			TOOL BOX, accessory-maintenance kit	1	-	NX	(a)
12	2610	66-010-7865	TYRE, PNEUMATIC, light truck type, CCND, 7.50-16 by 6 ply	1	-	NX	(c)
13			VALISE, works documents	3	-	X	(a)
14	7530	AB416	VEHICLE LOG BOOK - "B" Vehicles, Includes Cover and Sections 1, 2, 3, 4A, 5	1	-	X	

CES (Aust) No. 2173

ELECTRONIC EQUIPMENT REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS,
telecommunication, No 2, Land Rover series 2, 109 in. WB chassis
- COMPLETE EQUIPMENT -

1	2		3	4		5	6
				a	b		
			<u>PART 1 (Cont)</u>				
15	7530	AB416-4-49	VEHICLE LOG BOOK - (Cont)				
			Section 4, Servicing Schedule for TRUCK, 1/4	1	-	X	
			and 3/4 ton, GS, Land Rover series 2				
16	7530	AB417	VEHICLE RECORD BOOK, "B" Vehicles	1	-	X	
17	2530	66-010-5971	WHEEL, PNEUMATIC TYRE, disc, well base, 16 in.	1	-	NX	(c)
			<u>SHELTER EQUIPMENT</u>				
18			COVER, canvas -				
			platform body	1	-	NX	(a)
19			shelter, 16 ft x 10 ft 8 in.	1	-	NX	(a)
			EXTENSION, pole -				
20			cover, canvas, shelter	4	-	X	(a)
21			side support, wood, 41 in.	1	-	X	(a)
22			FLOOR, canvas, shelter	1	-	NX	(a)
23			FOOTPLATE, aluminium, 4 in. x 4 in.	5	-	X	(a)
24			FRAME ASSEMBLY, cover, canvas, platform body	1	-	NX	(a)
25			PEG, shelter	10	-	X	(a)
26			POLE, ridge, aluminium, 3 ft 6 in.	3	-	NX	(a)
			POLE, side support, wood -				
27			37 in.	5	-	X	(a)
28			41 in.	5	-	X	(a)
			ROPE -				
29			lacing, floor	1	-	X	(a)
30			side, ridge	2	-	X	(a)
31			stay, No 1	2	-	X	(a)
32			stay, No 2	4	-	X	(a)
			SHELTER SECTION, canvas -				
33			No 1	1	-	NX	(a)
34			No 2	1	-	NX	(a)
35			No 3	1	-	NX	(a)
36			No 4	1	-	NX	(a)
37			No 5	1	-	NX	(a)
38			No 6	1	-	NX	(a)
39			No 7	1	-	NX	(a)
40			SKIRTING, canvas, shelter	1	-	NX	(a)
41			STAKE, support, steel	2	-	X	(a)
			SUPPORT -				
42			angle, aluminium	4	-	NX	(a)
43			pole, ridge, aluminium	2	-	NX	(a)
44			VALISE, shelter sections	1	-	NX	(a)
			<u>CAMOUFLAGE EQUIPMENT</u>				
45			NET, camouflage	1	-	NX	(a)
			<u>LIGHT AND POWER EQUIPMENT</u>				
			CORD ASSEMBLY, ELECTRICAL -				
46	6150	66-017-3659	2 core, 1 ft 6 in., c/w socket and lugs	1	-	NX	
47	6150	66-017-3661	3 core, 30 ft, c/w plug and socket	1	-	NX	
48	6150	66-017-3662	3 core, 6 ft, c/w plug and socket	1	-	NX	
49	6150	66-017-3660	3 core, 6 ft, c/w plug and power outlets	1	-	NX	
50	5975	99-943-9502	ROD EARTHING, MS, 36 in. lg by 1-11/32 in. dia	1	-	X	(d)
51	6110	66-017-2166	SWITCHBOARD, POWER	1	-	NX	
			<u>SHOP EQUIPMENT</u>				
52	Z4	ZDA 0720	ADAPTOR, testing, field wrls set	2	-	NX	
53	Z4	ZDA 0350	AVOMETER, high sensitivity, model 8, cased (CES 1365)	2	-	NX	
			BLADE, HAND, HACKSAW, HSS, all hard -				
54	5110	66-014-5893	24 TPI, 12 in. long	3	-	X	
55	5110	66-014-5891	32 TPI, 12 in. long	3	-	X	
56	5110	66-013-5148	BLADE, JEWELLER'S SAW, 0.030 in. w by 0.014 in. thk	3	-	X	

ELECTRONIC EQUIPMENT REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS
telecommunication, No 2, Land Rover series 2, 109 in. WB chassis

- COMPLETE EQUIPMENT -

1	2		3	4		5	6
				a	b		
			<u>PART 1</u> (Cont)				
57	7920	66-011-7421	BRUSH - FILE CLEANER, 4 in. by 2 in.	1	-	X	
58	8020	66-012-0781	PAINT, flat, GS - 1/2 in.	1	-	X	
59	8020	66-012-0779	1 in.	1	-	X	
60	8020	66-012-2035	2 in.	1	-	X	
61	7920	66-018-3766	PLATER'S, HAND, hard bristle, 4 row, 5 in. nom lg, w/extended handle	1	-	X	
62	KE	KE 0888	sweeping, hand	1	-	X	
63			CABINET - plywood, including benches	2	-	NX	(a)
64			tools	2	-	NX	(a)
65	LV6/ MT1	0839-Z	CAN, oil, rectangular, 2 gal, with screw cap	1	-	NX	
66	5133	66-010-4195	COUNTERSINK, metal, 1/4 in. by 90 deg	1	-	NX	
67	5110	66-013-2979	DRILL, HAND, 1/4 in. capacity	1	-	NX	
68	5133	66-014-9854	DRILL SET, TWIST, HSS, straight shank, No 1-60, cased (CES 3488)	1	-	NX	
69			DRAWER, storage - Avometer	2	-	NX	(a)
70			test set, radio	2	-	NX	(a)
71	F1	FA 13252	FILE, flat - bastard, 8 in.	1	-	NX	
72	5110	66-017-2406	FILE, HAND - half round, second cut, 6 in.	1	-	NX	
73	5110	66-013-4278	half round, bastard, 8 in.	1	-	NX	
74	5110	66-013-4338	needle, round, 14cm, No 2 cut	1	-	NX	
75	5110	66-013-5505	round, bastard, 6 in.	1	-	NX	
76	5110	66-013-5529	second cut, 6 in.	1	-	NX	
77	5110	66-013-5245	FRAME, HAND, HACKSAW, tubular frame, 10 in. to 12 in. blade capacity	1	-	NX	
78	5110	66-013-5247	FRAME, JEWELLER'S, SAW, piercing adjustable, 5 in.	1	-	NX	
79	6625	00-553-0060	FREQUENCY METER, AN/URM32 (CES 3065)	2	-	NX	
80	5120	66-010-8486	HAMMER, HAND - engineers, ballpein, 8 oz	1	-	NX	
81	5120	66-010-5965	pin, cross-pein, 3-1/2 oz	1	-	NX	
82	5110	66-018-3656	HANDLE, FILE - wood, 3 in. nom lg	2	-	X	
83	5110	66-018-3660	wood, 4 in. nom lg	2	-	X	
84	H6	ZBA 0603	HYDROMETER, secondary cell	1	-	NX	
85	Y2	YBA 0103	KIT, tool, relay adjusting, (Aust) (CES 1891)	1	-	NX	
86	X2	XBA 2301	LAMP, adjustable, screw down type, "Planet", modified	2	-	NX	
87	6625	99-200-2271	LEAK LOCATOR, 0-10 lb/vacuum, 20 in. (CES 1321)	1	-	NX	
88			LEG, supproting, aluminium	8	-	NX	(a)
89	6230	66-017-3647	LIGHT, EXTENSION, fluorescent - 12v, dc, w/battery clips, "Burnbrite"	1	-	NX	
90	6230	66-017-3648	TRS/12/10 240v, ac, 20 watt, "Burnbrite" NB/20/230	3	-	NX	
91	6625	99-943-1523	MULTIMETER - AVO model 7, panclicmatic equipment (CES 3091)	2	-	NX	
92	Z4	AWA/A56010	electronic, AWA type A56010, "Voltohmyst", cased (CES 1650)	2	-	NX	
93	Z4	ZD 00784	OSCILLATOR, test - No 1 (CES 1687)	2	-	NX	
94	Z4	ZD 00786	No 2 (CES 1671)	2	-	NX	
95	6625	99-943-2417	OSCILLOSCOPE, minature, portable, CT52, equipment (CES 3090)	1	-	NX	

ELECTRONIC EQUIPMENT REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS
telecommunication, No 2, Land Rover series 2, 109 in. WB chassis
- COMPLETE EQUIPMENT -

1	2		3	4		5	6
				a	b		
			<u>PART 1</u> (Cont)				
96	5120	66-012-9856	PLIERS -				
97	5120	66-018-0269	long snipe nose, single joint, 6-1/2 in.	1	-	NX	
			SLIP JOINT, angle nose, multigrip, groove-grip				
			type, 9 in.	1	-	NX	
98	5120	66-013-2950	snipe nose, 8 in. bent, 45 deg	1	-	NX	
99	Z4	AWA/2R56020	PROBE, crystal diode	2	-	NX	
			PUNCH -				
100	5120	66-018-3685	CENTRE, SOLID, 5/16 in. tip dia by 5 in. lg	1	-	NX	
			DRIVE PIN, parallel -				
			1/16 in.	1	-	NX	
101	5120	66-010-8278	1/8 in.	1	-	NX	
102	5120	66-010-8276	RULE, STEEL, ENGINEERS, rustless, fractions,				
103	5210	66-014-4125	12 in.	1	-	NX	
104	7340	66-016-0194	SCISSORS, HOUSEHOLD, 6 in.	1	-	NX	
			SCREWDRIVER -				
105	F1	FAA 5810	cellulose-acetate handle, GS, medium duty,				
			10 in. by 5/16 in.	1	-	NX	
106	5120	66-014-3815	FLAT TIP, cellulose acetate handle	1	-	NX	
107	5120	66-011-5581	SET, JEWELLER'S SWIVEL KNOB, range 0.025 in.				
			to 0.100 in. set of 6	1	-	NX	
108	5110	66-013-9787	SHEARS, METAL CUTTING, HAND, 8 in., straight	1	-	NX	
			SPANNER -				
109	F1	FA 17053	American thread, box, tubular, DE, 1/2 in.				
			by 9/16 in.	1	-	NX	
110	F1	FA 17227	BSW, box, tubular, DE, 3/8 in. x 7/16 in.				
			socket set -				
111	F1	FAA 0766	American thread, 9/32 in. sq drive (CES 852)	1	-	NX	
112	F1	FAA 0764	BA, 9/32 in. sq drive (CES 853)	1	-	NX	
113	5345	66-011-8600	STONE, SHARPENING, slip, aluminium oxide, fine,				
			4-1/2 in. by 1-3/4 in. by 1/2 in. thk by				
			3/16 in.	1	-	NX	
			STOOL, folding, aluminium	4	-	NX	(a)
			STRIPPER, WIRE, HAND -				
114	5110	66-011-4113	adjustable, 26 SWG max capacity	1	-	NX	
115	5110	66-010-7998	plier type, 16-20 SWG capacity	1	-	NX	
116			TABLE, portable	2	-	NX	(a)
117	6625	66-014-2910	TEST KIT, RADIO, vehicle and manpack sets, light				
			repair (CES 3316)	2	-	NX	
			TEST SET, RADIO -				
118	6625	66-015-5274	frequency and modulation measuring, Gertsch				
			type FM-3/DM-3/PS-3 (CES 1930)	2	-	NX	
119	Z4	ZDA 0844	CTS-3/PRC (CES 1918)	2	-	NX	
			TESTER -				
120	Z4	ZDA 0746	dry battery, (Aust), No 1, Mk 2	1	-	NX	
121	Z4	ZD 02172	valve, AVO GT160 (CES 1894)	1	-	NX	
122	Z4	ZD 00295	wee megger, 100V, No 1 (CES 1647)	1	-	NX	
123	Z4	WY 0731	wee megger, 500V, No 1	1	-	NX	
			TOOL -				
124	Y3	WB 2962	expanding, sleeve rubber	1	-	NX	
125	F1	FA 18175	holding, 12 in. reach	1	-	NX	
126	6230	99-910-5033	TORCH, hand, electric, general purpose	1	-	NX	
127	5120	66-018-5817	VICE, BENCH AND PIPE, universal, with cylinder				
			head holding plug and jaw grips, 4 in. wide	1	-	NX	
128	5120	66-010-8279	VICE, HAND, hinged jaw type, 5 in.	1	-	NX	
129	Z4	ZD 02417	WATTMETER, absorption, AF, No 1, CT44 equipment				
			(CES 3007)	2	-	NX	
130	Z4	ZDA 0568	WATTMETER, absorption, HF, Marconi type TF 957/1				
			(CES 1989)	2	-	NX	

ELECTRONIC EQUIPMENT REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS,
telecommunication, No 2, Land Rover series 2, 109 in. WB chassis -
- COMPLETE EQUIPMENT -

1	2		3	4		5	6
				a	b		
131	5120	66-013-6747	WRENCH, OPEN END, ADJUSTABLE, 10 in.	1	-	NX	
132	5120	66-010-1099	WRENCH SET, OPEN END, FIXED, BA, DE, size range 0 to 9, straight and 45 deg angle, set of 10	1	-	NX	
			<u>PART 2</u>				
133	2540	66-015-5449	ACCESSORY-MAINTENANCE KIT, TRUCK, UTILITY, Land Rover series 2, 12 volt electrical system (CES 2071)	-	1	NX	
			<u>PART 3</u>				
			<u>ROLE</u>				
			The unit is designed to provide a range of machinery and test equipment to assist tradesmen in the field repair of telecommunication equipment.				
			<u>GENERAL DESCRIPTION</u>				
			This equipment is designed to be used in conjunction with "Electronic Equipment Repair Shop Trailer Mounted, 1/2 ton, telecommunication, No 1" to form a complete unit.				
			<u>SPECIAL ACCOUNTING INSTRUCTION</u>				
			For unit accounting purposes, the battery and fire extinguisher are part of the basic equipment, but they may be accounted for by Ordnance Depots as separate items of supply.				
			<u>ASSOCIATED DOCUMENTS</u>				
			AC in WM 22707 Maintenance Scale AUST/MT/147 (chassis only) The following CESs are used in conjunction with this CES:- 852, 853, 1321, 1365, 1647, 1650, 1671, 1687, 1891, 1894, 1918, 1930, 1989, 2071, 3007, 3065, 3090, 3091, 3316, 3488				
			<u>FOOTNOTES</u>				
			(a) The CES will be amended to include Stock Numbers when information becomes available for cataloguing purposes.				
			(b) Refer special accounting instruction, above				
			(c) Spare.				
			(d) For earthing the vehicle frame.				