EQUIPMENT TABLE - PART 4 COMPLETE EQUIPMENT SCHEDULE FOR

CES(Aust) No 2178
ISSUE 1
DATED COTOBERE 1963

SMALL ARMS REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS, No 1, Land Rover series 2, 109 in WB chassis - COMPLETE EQUIPMENT -

IMPORTANT

(i) The Stock number and designation which identifies the total collection of items listed in this CES is:-

4933-66-018-7155 SMALL ARMS REPAIR SHOP, TRUCK MOUNTED AND ACCESSORY-MAINTENANCE KIT, 3/4 ton, GS, No 1, CES 2178

(ii) The census code number and designation which identifies the collection of items listed in Part 1 of this CES is:-

6044 SMALL ARMS REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS, No 1, Land Rover series 2, 109 in WB chassis, Part 1 items

(iii) The stock number and designation which identifies the collection of items listed in Part 2 of this CES is :-

2540-66-015-5449 ACCESSORY-MAINTENANCE KIT, TRUCK, UTILITY, Land Rover series 2, 12 volt electrical system (CES 2071)

27 1	CONTENTS				AMENDMENTS				
			MICRO INCOMPANION	BUI	LETIN	No	DATE		
PART 1 - BASIC EQUIPMENT				le li	/4.x				
PA	RT 2	- ASSOCIATE	ED STORES						
PA	RT 3 -	- INFORMATI	ON SECTION						
1	37	2	3	4		5	6		
	Stock No			Quantity		Exp	Foot		
tem No	Sec.		Designation	a	ъ	Class			
	,		PART 1	45	1	ir.			
		6044	SMALL ARMS REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS, No 1, Land Rover series 2, 109 in WB chassis	-	1	NX			
		Item Ident N	Includes items 2 to 66 -		-	1 5 			
	6140	66-010-7867	BATTERY, STORAGE, lead acid type, 12V, 9 plate, 68 amp hr, 12-1/16 in lg by 6-3/4 in w by			N.			
			8-7/8 in h	1	-	NX	(b)		
	2540	66-010-5973	BLADE, WINDSHIELD WIPER, 11 in	2	-	NX X	(a)		
	a y	M	BRACKET, rifle holder COVER, canvas, cab	1		te NX	(a)		
	LV6/ MT1	0881 - Z	EXTINGUISHER, fire, tetra-chloride type, 1 quart, "T" type handle, less bracket	1	-	NX	(ъ)		
	2610	66-010-7864	INNER TUBE, PNEUMATIC TYRE, truck type, 7.50-						
			16, valve TR15	1	-	NX			
	100	66 -10 -00-0	LOCKER, tyre chains	1		NX	(a)		
	2540	66-010-5970	MIRROR ASSEMBLY, REAR VIEW, exterior	2		NX	(a)		
0	ĺ	8 2 2	TABLE, recording, Section Leader's TOOL BOX, accessory-maintenance kit	1		NX NX			
1			TOOL DON, accessory-marintenance kro		li - 1	2125	(4)		

CES(Aust) No 2178

SMALL ARMS REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS, No 1, Land Rover series 2, 109 in WB chassis - COMPLETE EQUIPMENT -

7			3	4 5		5	6
1		2	3	8,	ъ	,	
			PART 1 (contd)				
12	2610	66-010-7865	TYRE, PNEUMATIC, light truck type, CCND, 7.50-16	1	_	NX	(c)
13			by 6 ply VALISE, works documents VEHICLE LOG BOOK :-	3	-	X	(a)
14	7530	AB 416	"B" Vehicles, Includes Cover and Sections :	1		x	
5		AB416-4-49	Section 4, Servicing Schedule for TRUCK, 1/4 and 3/4 ton, GS, Land Rover series 2	1	-	x	
6	7530 2530	AB 417 66-010-5971	VEHICLE RECORD BOOK, "B" Vehicles WHEEL, PNEUMATIC TYRE, disc, well base, 16 in	1	Ξ.	X NX	(0
			SHELTER EQUIPMENT			5,1	
			COVER, canvas :-	1		NV	1
8 9			platform body shelter, 16 ft x 10 ft 8 in EXTENSION, pole:-	1	-	NX	(a
20			cover, canvas, shelter	4	-	X	(a
1			side support, wood, 41 in FLOOR, canvas, shelter	1	=	NX	(a
23			FOOTPLATE, aluminium, 4 in x 4 in	5	-	X	(ε
4			FRAME ASSEMBLY, cover, canvas, platform body PEG, shelter	10	-	X	(a
6			POLE, ridge, aluminium, 3 ft 6 in POLE, side support, wood :-	3	-	NX	(a
27			37 in	5	-	x	(a
28			41 in ROPE :-	5	-	X	(a
29			lacing, floor	1	-	X	(a
30	5126	85-218-5617	side, ridge stay, No 1	2 2	1 -	X	(a
32			stay, No 2	4	-	X	(8
33			SHELTER SECTION, canvas :- No 1	1	1	NX	(8
34			No 2	1	-	NX	Ĵε
35			No 3	1	-	NX	(8
36			No 4 No 5	1	-	NX	(8
37	3		No 6	1	-	NX	(8
39		* * * * * * * * * * * * * * * * * * * *	No 7	1	-	NX	15
10			SKIRTING, canvas, shelter	1 2	-	NX X	(8
11			STAKE, support, steel SUPPORT:-	-	-	A	100
42			angle, aluminium	4	-	NX	(8
43		1	pole, ridge, aluminium	2	-	NX	1 (8
14			VALISE, shelter sections	'	-	NX	(;
			CAMOUFLAGE EQUIPMENT				1
45			NET, camouflage	1	-	NX	(8
			LIGHT AND POWER EQUIPMENT				
16	61.50	66 017 3650	CORD ASSEMBLY, ELECTRICAL :- 2 core, 1 ft 6 in, c/w socket and lugs	1	_	NX	
46 47		66-017-3659 66-017-3661	3 core, 30 ft, c/w plug and socket	1	-	NX	
	61 50	66-017-3662	3 core, 6 ft, c/w plug and socket	1	-	NX	
49		66-017-3660	3 core, 6 ft, c/w plug and power outlets	1	-	ИX	

Dated OCTOBER 1963

SMALL ARMS REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS, No 1, Land Rover series 2, 109 in WB chassis - COMPLETE EQUIPMENT -

1		2	3	4		5	6
1		2		8.	Ъ		
			PART 1 (contd)				3
	1 = 12				1.		100
50	5975	99-943-9502	ROD EARTHING, MS, 36 in lg by 1-11/32 in dia	1	-	X	(d)
51	6110	66-017-2166	SWITCHBOARD, POWER	1	-	NX	1 '
	1	,			,		, 100
			SHOP EQUIPMENT		4	1	
			DATES AND DESCRIPTION OF THE PROPERTY OF THE P			100	*
52	7110	66-018-7859	BOX, STORAGE, EMEI	2	-	NX	
53	5120	99-910-4548	DRESSER, ABRASIVE WHEEL, HAND, Huntingdon style,				-
- 3			c/w cutters. No T size	1	- u	NX	
			DRILL SET, TWIST, HSS :-	100			
54	5133	66-016-5172	parallel shank, 1/16 to 1/2 in, w/case		100		
7	7.33	30 3.0	(CES 3502)	1	3.5	NX	
55	5122	66-014-9854	straight shank, No 1-60, cased	1		NX	13. 14
ככ	2133	00-014-9054		•	-	WY	
	750	an wa oda.	(CES 3488)			-	
56		ZB-US-0174	GENERATING SET, 2KVA, model OTC-5BH	1	-	NX	
57	4240	66-012-8944	GOGGLES, INDUSTRIAL, multi-purpose	1	-	NX	
		and the second	LIGHT EXTENSION, fluorescent :-				1
58	6230	66-017-3647	12V, dc, w/battery clips, "Burnbrite" TRS/12/				
			10	1	-	NX	
59	6230	66-017-3648	240V, ac, 20 watt, "Burnbrite" NB/20/230	4	-	NX	
,	50	55 51, 5545	MACHINE :-	4		1126	1
						1	
60	רשו	WC4 0430	drilling, electric, portable, 240V:-			1	
60	W3	WCA 2439	1/4 in		-	NX	
61		WCA 2441	1/2 in	1	-	NX	
62	W3	WCA 0520	grinding and polishing, bench type, 8 in x 1			1	1
			in, 240V, "Hebco" (CES 1251)	1	-	NX	1
63.		66-011-0796	OILER, HAND, force feed, 1/2 pint	1	-	NX	
64	W3	WCA 3603	STAND, bench, portable drill, 1/2 in, Black			1	1
- 4			and Decker	1	-	NX	1
65	5140	66-013-4316	TOOL BOX, PORTABLE, steel, w/removable tray,			1	
-/	7.70	45.0	21 in lg by 8 in w by 7 in h	5	-	NX	
66	5120	66-018-5817	VICE, BENCH AND PIPE, universal, with cylinder	1		-	
00	7.20	00-0.0-001	head holding plug and jaw grips, 4 in wide	2		NX	
			near nording prog and Jaw Strbs, 4 in wide	~	_	TAY	1
		1	DADE O		1	1	
			PART 2		1		
_					i		
67	2540	66-015-5449	ACCESSORY-MAINTENANCE KIT, TRUCK, UTILITY,		1		1
	1		Land Rover series 2, 12 volt electric system	-	1	NX	
d	. 1		(CES 2071)		1		
			* 10.			1	
- 1			PART 3		1	1	1
					1	1	
			ROLE				
			100000		1		
. 1			The unit is designed to provide a range of			3	
	1						
			machinery and equipment to assist tradesmen in		1		
1	-		the field repair of small arms.				1
- 1			GENERAL DESCRIPTION				
-			This equipment is designed to be used in		1		1
1			conjunction with "Small Arms Repair Shop, Trailer				1
					1		1
			Mounted, 1/2 ton, No 1" to form a complete unit.		1		
	,					1	1
	1		SPECIAL ACCOUNTING INSTRUCTION		1		
1					1		
-		è .	For unit accounting purposes, the battery		1		
	- 1		and fire extinguisher are part of the basic		1		
ļ					1	1	1
	.1		equipment, but they may be accounted for by				

SMALL ARMS REPAIR SHOP, TRUCK MOUNTED, 3/4 ton, GS, No 1, Land Rover series 2, 109 in WB chassis - COMPLETE EQUIPMENT -

1	2		3		T	5	6
	-	1		8.	Ъ		-
			PART 3 (contd)				
			ASSOCIATED DOCUMENTS				
			AC in WM 22709				
		1 9	Maintenance Scale AUST/MT/147 (chassis only)			19. s	
			The following CES's are used in conjunction with this CES: - 1251, 2071, 3488, 3502.				
			FOOTNOTES				
			(a) The CES will be amended to include Stock				
			Numbers when information becomes available for cataloguing purposes.				
			(b) Refer special accounting instruction, above.	,			
			(c) Spare		1		
			(d) For earthing the vehicle frame.				
				-			
							1
				P			
							1
			2 1				
					1		
						1	
					100 E		
		1 0					
		1					