## EQUIPMENT TABLE - PART 4 COMPLETE EQUIPMENT SCHEDULE FOR

CES (Aust) No 2183 ISSUE 1 DATED OC £ 163

WELDING SHOP, TRAILER MOUNTED, 1/2 ton, arc/gas, No 1 - COMPLETE EQUIPMENT -

IMPORTANT

Trans.			CONTENTS	A			
		BASIC EQUIPM	MENT BLE TO THIS CES		BULLETIN No.		
	<u>r 3</u> -	INFORMATION					
1	1150	2	3 core, to the c/W ming and sounds	4		5	6
tem	Stock No.		AND SOMETIME AND A CANADA OF MANY	Quantity		Exp	Foot-
17-	Sec/ Class	Census Code No	Designation	a	ъ	Class	re
			PART 1			·III	-
1		6017K Item Ident No	WEIDING SHOP, TRAILER MOUNTED, 1/2 ton, arc/gas, No 1 Includes items 2 to 57		1	NX	
2	7530	AB 417	VEHICLE RECORD BOOK, "B" Vehicles	1		X	
			SHELTER EQUIPMENT			10	
3			COVER, canvas:- platform body shelter, 16 ft x 10 ft 8 in	1 1		NX NX	{
5			cover, canvas, shelter side support, wood, 41 in	4		X	1
7		3 74 60	FOOTPLATE, aluminium, 4 in x 4 in FRAME ASSEMBLY, cover, canvas, platform body PEG, shelter	5 1 10		NX X	1
10	13.		POLE, ridge, aluminium, 3 ft 6 in POLE, side support, wood.	3		NX	(
11			37 in 41 in ROPE:	5		X	1
			mor no-				{

CES (Aust) No. 2183

( (AUST) No. 2183

Issue 1

Dated Oct 1963

WELDING SHOP, TRAILER MOUNTED, 1/2 ton, arc/gas, No 1 - COMPLETE EQUIPMENT -

L	2	3	<b>4</b> &	ъ	5	6
. 0 /			L		a Ea Eas	
		PART 1 (contd)		- , -		
10.41		ROPE - (contd)		Po a n		
5		stay, No 2	4	1	X	(a
ן עו		SHELTER SECTION, canvas:-	(40)			
16		No 1	1		NX	(a
7	and the second	No 2	1		NX	(a
18		No 3	1		NX	(8
19		No 4	1		NX	(8
20		No 5	1		NX	(8
21		No 6	1		NX	(a
22		No 7 No 8	1		NX	\ (a
23	The state of the s	STAKE, support, steel	2	100	X	(8
24		SUPPORT:-			45	
25		angle, aluminium	4		NX	ζε
26		pole, ridge, aluminium	2		NX NX	(8
27		VALISE, shelter, sections	1	i,	N.A.	(έ
		CAMOUFLAGE EQUIPMENT				
28	4	NET, camouflage	1		NX	\$2
		LIGHT AND POWER EQUIPMENT				
}:		CORD ASSEMBLY, ELECTRICAL:-		100		
29	6150 66-017-36	2 core, 1 ft 6 in, c/w socket and lugs	1		NX NX	
30	6150 66-017-36	6 3 core, 30 ft, c/w plug and socket	1		NX	
31 32	6150 66-017-36		nie tui		NX	
33	5975 99-943-95	O2 ROD EARTHING, MS, 36 in 1g by 11/32 in dia	1	1.	X	(1
34	1660 66-017-21		1		NX	
		SHOP EQUIPMENT	-			Į.
35	5120 66-011-037	4 ANVIL, BLACKSMITHS, single horn, 56 lb	1		NX	
36	KE   KE 0888	BRUSH, sweeping, hand	1		X	
37	4210 66-017-93	BLANKET, FIRE, asbestos, 6 ft by 6 ft	1		NX	
38	LV6/	CAN DOT military james 4-1/2 mol	1		NX	
	MT1 32002	CAN, POL, military jerrican, 4-1/2 gal CRAMP, carpenters, "G" type:-	1 .		I MA	
39	F1 FA 11470	4 in	2		NX	
40	F1 FA 11471	6 in	2	-1	NX	
41	5210 66-014-55	DIVIDERS, MECHANIC'S, wing type, 12 in	1		NX	
42			1		NX	
		(CES 3502)			" -	
43		9 EXTINGUISHER, FIRE, DRY CHEMICAL, 5 1b	2	1	NX	14
44	J2 JBA 2806	FIRE BRICK, 9 in by 4-1/2 in by 3 in	2		X	- C
45	F1 FA 13680	FLATTER, smiths	1 1		NX	200
46	4240 66-012-89		1		NX	
47		HAMMER, sledge, double faced, 10 lb LIGHT EXTENSION, fluorescent, 240V, ac, 20 watt			1.2	e e
48	6230 66-017-36	"Burnbrite" NB/20/230	3		NX	2
49	W3 WCA 2480	MACHINE, grinding, electric, portable, 240V,				1
1		6 in	1		N	2
		(CES 914)			NZ	
50	5120 66-010-83		1		N2	1
51	5130 66-017-21	STAND, PORTABLE ELECTRIC GRINDER, lightweight	1 4	-31	1 142	•

CES(AUST) No. 2183 Page 2 of 3 WELDING SHOP, TRAILER MOUNTED, 1/2 ton, arc/gas, No 1 - COMPLETE EQUIPMENT

1	2		3	4	1	5	6
1		2	·	2.	Ъ		10 1
				6	11		
			PART 1 (contd)				
			SHOP EQUIPMENT (Contd)				
	4.00						. 6 .
.1			TONGS:-	13.44		NX	
	F1	FA 17995	draw, medium smith, bolt, 20 in	1		NX	- 4
3	F1 F1	FA 18020 FA 18032	smith, hollow bit	1		NX	
4	5180	66-013-7413	TOOL KIT, BODY AND FENDER REPAIR	1		NX	
	7.00		(CES 1556)				
6	5130	66-011-6060	TOOL OUTFIT, PORTABLE ELECTRIC TOOLS, 240V,	1		NX	10
			1/4 in capacity, "Jamec" 550 series (CES 3185)	- ·		21.04	
	5400	(6 040 5047	VICE, BENCH AND PIPE, universal, with cylinder				
57	5120	66-018-5817	head holding plug and jaw grips, 4 in wide	1	7.4	NX	
			WELDING MACHINE, ARC	1	100	NX	(a
			PART 3				
			ROLE				
			The unit is designed to provide tradesmen				
	l		with electric and gas welding facilities, and				
	1	August 1	limited blacksmith facilities for field repair				
		-	of equipment.				
			GENERAL DESCRIPTION				
			The equipment is designed to be used in	1			10.20
	1	R 0 81	conjunction with "Welding Shop, Truck Mounted,	e w Lec			
	0 2	15 7 161 . 10	3/4 ton, GS, arc/gas, No 2, LandRover series 2,				
		-161	109 in WB chassis" to form a complete unit.				
		2	A spare wheel and tyre assembly is not				
	514		provided, but the trailer is equipped with whee	18,			
	B (845)	E TIME	tyres and tubes as used on Land Rover vehicles and a spare is readily available from the norma	1			
	C Z E M	i i i i i i i i i i i i i i i i i i i	towing vehicle.			5, 110	
			ASSOCIATED DOCUMENTS				
		1	*4*			8	
			AC in WM 22714 Maintenance Scale AUST/MT/157 (chassis only)				9
			The following CESs are used in conjunction with				
		150 1 1 1 1 1	this CES:- 914, 1556, 3185, 3502.	1			
	75	de La	FOOTNOTES				
			(a) The CES will be amended to include Stock				
			Numbers when information becomes available				
		1	for cataloguing purposes.				
			(b) For earthing the vehicle frame.				
			(0) 101 601 011118 0110 101111				
						1	1
			The Total of Total Action Control of the Control of				i de
						La L	
			4				
		1	Lip Control of the Co	1		- 1	1

CES(AUST) No.
Page 3 of 3 2183

- (a)