EQUIPMENT TABLE - PART 4 COMPLETE EQUIPMENT SCHEDULE FOR

CES (A	ust) No 2	193
ISSUE	1	
DATED	Oct	· 63

MACHINE SHOP, TRAILER MOUNTED, 1/2 ton, general, No 1
- COMPLETE EQUIPMENT -

CONTENTS				AMENDMENTS BULLETIN No DAS				
-				BUL		I He	DAT	
PA	RF 1 -	- BASIC E	QUIPMENT	94				
PA	RT 2 -	- NOT APP	LICABLE TO THIS CES					
		9		l			8	
		140 g20		, n				
B	RT 3 -	INFORMA	TION SECTION		·			
	2		3		.4		6	
	Stock No			Quantity			Fee	
em	Sec/ Item		Designation			Class	net	
	lass	Ident No		8.	ъ		re	
15000	2	i.	PART 1					
		6017A	MACHINE SHOP, TRAILER MOUNTED, 1/2 ton, general,	14				
		*	No 1		1	NX		
	2 10	Item Ident			7	8.		
	7530	<u>No</u> AB 417	Includes items 2 to 49 VEHICLE RECORD BOOK, "B" Vehicles	1	-	x	100	
	1930	AD 417		1	Ì	^	1	
			SHELTER EQUIPMENT				1	
			COVER, canvas :-			1000000		
			platform body shelter, 16 ft x 10 ft 8 in	1		NX NX	\ \{\bar{t}{t}	
Ì	1		EXTENSION, pole :-	1		AM	1	
			cover, canvas, shelter	4	lu lu	X	(8	
\cdot			side support, wood, 41 in	1		X	1 (8	
			FOOTPLATE, aluminium, 4 in x 4 in FRAME ASSEMBLY, cover, canvas, platform body	5		X	1 5	
	ľ		PEG, shelter	10		NX X	1 (
۱ (ļ	*	POLE, ridge, aluminium, 3 ft 6 in	3		NX	1 (8	
.			POLE, side support, wood :-	20.00		200		
2			37 in 41 in	5		X	(8	
١ '	- 1		ROPE :-	5		Х	14	
3			side, ridge	2		х	(ε	
1			stay, No 1	2	18	x	(ε	
5			stay, No 2	4		X	(8	
5			SHELTER SECTION, canvas :-		-		,	
			No 2	1		NX NX	(E	
3			No 3	1		NX.	(ε	
1			No 4	1		NX	([
1	1	v. "	No 5	1		NX	\ (a	
			No 6	1		NX	(8	
	- 1		No 7 No 8	1		NX	, (s	
			STAKE, support, steel	1 2		NX X	1 5	
			SUPPORT :-	-		^	(8	
1			angle, aluminium	4		NX	(a	
	-		pole, ridge, aluminium	2	1	NX	, (a	
	1,		VALISE, shelter sections	1	1	NX	(a	
-			CAMOUFLAGE EQUIPMENT	6			i i	
,	1		NET, camouflage	1		NX	.(а	
			. .				-\α	
			,					
	بلب							
	10		CES Pa		of	. 219		

Insue:

Dated Octub 263

MACHINE SHOP, TRAILER MOUNTED, 1/2 ton, general, No 1

1-									
	1		2	3		b	5	6	
-					-	+-	 		
	(4)			PART 1 (Contd)	1		ļ	٠.	
	20	, i	ð.	LIGHT AND POWER EQUIPMENT				á	
				CORD ASSEMBLY, ELECTRICAL 1-					
	29	6150	66-017-3659	2 core, 1 ft 6 in, c/w socket and Plugs 3 core, 30 ft, c/w plug and socket			NX NX		
	30 31	6150 6150	66-017-3661 66-017-3662	3 core, 6 ft, c/w plug and socket	i		NX	•	
ı	32	6150	66-017-3660	3 core, 5 ft, c/w plug and power outlets	1		NX		
١.	33 34	5975 6110	99-943-95 0 2 66-017-2166	ROD EARTHING, MS, 36 in lg by 1-11/32 in dia SWITCHBOARD, POWER	1		NX NX	(b)	
		T 776 /		SHOP EQUIPMENT					
	35	LV6/ MT1	32002	CAN, POL, military jerrican, 4-1/2 gal	1		NX		
ı	36	5130	66-017-2169	DRILL, ELECTRIC, PORTABLE:- 3/8 in nom size, heavy duty, 12V, ac/dc,					
				2 core cord, c/w battery clips	1		NX	*	
	37	5130	66-017-2165	1-1/4 in nom size, heavy duty, 240V, ac, 50 c/s, single phase, Sher No 7100	1		NX		
l	38	4210	66-016-8279	EXTINGUISHER, FIRE, DRY CHEMICAL, 5 1b	1		NX		
	39	6230	66-017-3647	LIGHT EXTENSION, fluorescent :- 12V, dc, w/battery clips, "Burnbrite" TRS/					
	37	10230	1400-11-3041	12/10	1		NX		
	40	6230	66-017-3648	240V, ac, 20 watt, "Burnbrite" NB/20/230	1		NX		
1				drilling, electric, portable, 240V:-		8		ı	
١	41	` ₩3	WCA 2439	1/4 in	1		NX	. 1	
l	42 43	, ₩3° ₩3.	WCA 2441 WCA 2480	1/2 in grinding, electric, portable, 2407, 6 in			NX		
			,	(CES 914)	1		NX		
	44	3450	66-017-5973	SAW, POWER, HACK, portable, "PORTASAW" c/w 1/3 HP, 240V, single phase motor	1		NX		
l				(CES No 1090) at the cherd)					
	45	3455	66-016-8260	SET SAW, HOLE, 1-1/4 in to 2-1/2 in dia capacity 10 TPI	1		NX		
	46	₩3	WCA 3603	STAND bench portable drill, 1/2 in, "Black and			HA.		
		5440	66 012 4218	Decker"	1		NX	. 1	
	47	5140	66-013-4316	TOOL BOX, PORTABLE, steel, w/removable tray, 21 in 1g by 8 in w by 19 in h	2		NX		
l	48	3460	66-015-3520	V-BLOCK, MATCHED PAIR, 3 in 1g by 2-1/2 in h	2		NX	ı	
	49	5120	66-018-5817	by 1-1/2 in w VICE, BENCH AND PIPE, universal, with cylinder	-		NA		
l				head holding plug and jaw grips, 4 in wide	2		NX		
l				PART 3					
1				ROLE					
			at		I		1		
				The equipment is designed to provide general machine shop facilities for field				j	
;				repair of mechanical equipments.					
				GENERAL DESCRIPTION					
1				The equipment is designed to be used in				4	
				conjunction with 'Machine Shop, Truck Mounted, 3/4 ton, GS, general, No 3, LandRover series			ı	. 1	
		1 .		2, 109 in WB chassis" to form a complete unit.	1	1			
_	!		<u> </u>		ŀ	,		j	

1		2	3	a	Ъ	. 5	6
			PART 3 (contd) A spare wheel and tyre assembly is not provided, but the trailer is equipped with wheels, tyres and tubes as used on Land Rover vehicles and a spare is readily available from the normal towing vehicle.				
			ASSOCIATED DOCUMENTS		2.89		
			AC in WM 22716 Maintenance Scale AUST/MT/157 (chassis only) CESs 914 and 1090 are used in conjunction with this CES.				
			,				
			FOOTNOTES .				
i			(a) The CES will be amended to include Stock Numbers when information becomes available for cataloguing purposes.				
	-	,	(b) For earthing the vehicle frame.				
			,		100		i
			2				
			8 '' e				12
							0
	1						
		v	*				
4	1	s \$					
	ì				8		
ì	!		a 11				
				-			
1	1						
		-	* .				
	: !	1	· •				
•	301						
1	10 8						