



COMPLETE EQUIPMENT SCHEDULE

FOR

2540-66-032-9033 EQUIPMENT KIT, VEHICULAR 5 TON, GS, VEHICLE
INTERNATIONAL, 6 BY 6

AMENDMENT CODE 0j

AUTHORISED FOR USE WITHIN THE
AUSTRALIAN DEFENCE FORCE

PREPARED & ISSUED BY DEFENCE MATERIEL ORGANISATION, LAND ENGINEERING AGENCY, TDC & PRINTED
BY DEFENCE PUBLISHING SERVICES - LAVERTON VICTORIA

ITEMS REQUIRED TO MAKE UP THE COMPLETE EQUIPMENT

Item	NSN	Designation	UoI	Qty/Sub	Qty/Equ	STC	Footns
<u>PART 1(Main Items)</u>							
NIL							
<u>PART 2A(Items Required for Normal Operations of Equipment)</u>							
1	2540-66-011-1999	CHAIN ASSEMBLY, TYRE STEEL, SINGLE, HEAVY DUTY, 12.00 BY 20 TIRE SIZE ACCOMMODATED		-	6	X	
2	4010-66-086-8464	CHAIN ASSEMBLY, SINGLE LEG ALLOY STEEL GRADE T, 4 M LG BY 13 MM DIA, LATCHLOK HOOK W/REMOVABLE JOINING LINK 1 END, OBLONG LINK W/REMOVABLE JOINING LINK OTHER END,	AY	-	1	A	
3	4720-66-011-2500	HOSE ASSEMBLY, NONMETALLIC TYRE INFLATING, 25 FT O/A LG, 1ST END 1/2 IN.UNF/INT, 2ND END SINGLE TYPE INFLATION CHUCK		-	1	X	
4	4910-66-054-4679	GAGE, TIRE PRESSURE, SELF-CONTAINED PORTABLE, BAR TYPE, 20 TO 140 PSI RANGE, 2 PSI CALIBRATIONS, 165 MM O/A LG, W/POCKET CLIP		-	1	X	
5	4930-66-011-0796	OILER, HAND STEEL, FORCE FEED, 3 IN.DIA BODY, 5-1/2 IN.LG SPOUT, W/CLOSURE CAP & REMOVABLE TIP, 1/2 PINT		-	1	X	

Item	NSN	Designation	UoI	Qty/Sub	Qty/Equ	STC	Footns
6	5110-66-011-0377	AXE, SINGLE BIT 2 KG, 130 MM CUTTING EDGE, 820 MM LG HANDLE	-	-	1	X	
7	5120-66-010-8484	HAMMER, HAND MACHINIST'S, BALL PEIN, 675 G HD WT	-	-	1	X	
8	5120-66-010-8584	WRENCH, SOCKET HEX AND SQ, DOUBLE ENDED, 1.334 IN.HEX A/F AND 27/32 IN.SQ A/F, 12 IN.LG	-	-	1	X	
9	5120-66-012-6821	HANDLE, MATTOCK-PICK WOOD, 2.3 KG PICK, 900 MM LG	-	-	1	X	
10	5120-66-012-6893	PICK, DIGGING POINT AND CHISEL ENDS, 5 LB, W/O HANDLE	-	-	1	X	
11	5120-66-013-6747	WRENCH, ADJUSTABLE 29 MM JAW OPENING, 250 MM O/A LG, CHROME PLATED	-	-	1	X	
12	5120-66-014-0251	PLIERS COMBINATION, SIDE CUTTING, W/PIPE GRIP AND SERRATED JAWS, INSULATED, 6 IN.LG	-	-	1	X	
13	5120-66-016-1257	WRENCH, OPEN END FIXED, DOUBLE ENDED, 15 DEG OFFSET, 1/2 IN. AND 9/16 IN. A//F, 6-1/2 IN. LG	-	-	1	X	
14	5120-66-016-1259	WRENCH, OPEN END FIXED, DOUBLE ENDED, 15 DEG OFFSET, 3/8 IN.AND 7/16 IN.A/F, 5 IN.LG	-	-	1	X	
15	5120-66-026-0206	SCREWDRIVER, FLAT TIP METRIC, CELLULOSE ACETATE HANDLE, 8 MM W TIP, 150 MM LG BLADE	-	-	1	X	

Item	NSN	Designation	UoI	Qty/Sub	Qty/Equ	STC	Footns
16	5120-66-093-8563	SHOVEL, HAND GS, RD POINT BLADE, PLASTIC D-TYPE HANDLE, BLACK OR DARK GREEN, 35-1/2 IN. LG	-		1	X	
17	5340-66-024-8223	PADLOCK BRASS, PIN TUMBLER, SOLID CASE, 45MM CASE O/A W, 41 MM CASE O/A H, 9 MM DIA STEEL SHACKLE, 19 MM SHACKLE CLEARANCE	-		3	X	
18	5340-66-025-0498	HOLDER, KEY STEEL, 3/4 IN.ID	-		2	X	
19	6150-66-018-3896	CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL INTER VEHICLE STARTING, 30FT LG	-		1	X	
20	6230-99-942-7876	LIGHT, EXTENSION C/W CABLE AND PLUG, W/O GLOBE	-		1	X	
21	6240-00-155-7900	LAMP, INCANDESCENT 12 V, 6 TO 21 CP, DOUBLE CONTACT BAYONET BASE BA15D, "S" SHAPE, CLEAR, PARALLEL PIN	-		2	X	
22	6240-00-924-7526	LAMP, INCANDESCENT 12.8 V, 2.1 AMP, SINGLE CONTACT BAYONET BASE, CLEAR	-		2	X	
23	6240-66-010-7460	LAMP, INCANDESCENT 12 V, 5 W, SINGLE CONTACT BAYONET BA15S BASE, "G" SHAPE, CLEAR	-		3	X	
24	6240-66-022-6561	LAMP, INCANDESCENT 12 V, 3 W, SINGLE CONTACT BAYONET (BA15'S) BASE, G-6 SHAPE CLEAR	-		2	X	

Item	NSN	Designation	UoI	Qty/Sub	Qty/Equ	STC	Footns
0b 25	6240-99-995-3281	LAMP, INCANDESCENT 12V, 21W		-	3	X	
26	7240-66-021-5710	CAN, DISPENSING, FUNNEL TOP TINPLATE, 500 ML CAPACITY, W/O HANDLE		-	1	X	
27	7240-66-054-8602	CAN, WATER, MILITARY PLASTICS, 22 LITRE		-	1	X	
28	7240-99-802-2405	CAN, GASOLINE, MILITARY STEEL, 20 LITRE		-	1	X	A
29	8115-66-022-0114	BOX, SMALL PARTS PLASTICS, 4-1/2 IN.LG BY 2-1/2 IN.W BY 2-3/4 IN.H, W/LID		-	1	X	
30	9905-66-018-3897	SIGN WARNING, MOTOR VEHICLE, STEEL, TRIANGULAR, 13 IN.SQUARE, RED AND WHITE, W/CARRY CASE THAT ACTS AS A BASE DURING USE (BOX OF 3)	BX	-	3	X	
31	9905-66-048-0206	TAG, MARKER BRASS, RD, 1-1/4 IN. DIA		-	2	X	

PART 2B(Optional Equipment - To be Demanded and Accounted for Separately)

NIL

PART 3 (Equipment Description and Information Section)

COLUMN HEADING ABBREVIATIONS

Item	CES Item No
NSN	NATO Stock No
UoI	Unit of Issue (Left blank when (EA))
Qty/Sub	Quantity per sub assembly
Qty/Equip	Quantity per equipment
STC	Stock Type Code
Footns	Footnote

AMENDMENT CODES

0a	Change of NSN/Designation of the item previously shown including change to NATO Class.
0b	Item changed to the latest mark/pattern (i.e. WSE supersessions).
0c	Item changed to the latest mark/pattern where old item has been made obsolete (i.e. Stat 4 with replacement).
0d	Item made obsolete without replacement.
0e	Entitlement variation (e.g. EEV Actions).
0f	Entitlement now shown on another document. (e.g. Block scales, RPS etc.)
0g	Change of Stock Type.
0h	Change of unit of issue.
0j	Change to format or Entitlement Group/Stock Item Group Codes.

The codes are placed in front of the item concerned, with the following exceptions "0d" or "0f" will be shown under the current item (i.e. 0d item 5 of previous issue) and "0j" codes will appear on the face sheet.

BRIEF GENERAL DESCRIPTION

A collection of tools and equipment utilised in 5 ton International GS range of vehicles.

ASSOCIATED DOCUMENTS

FOOTNOTES

A: Quantity 3 to be issued when the kit is required for use with 2320-66-045-2843 TRUCK,
WRECKER
AND ACCESSORY-MAINTENANCE KIT, 5 ton, GS, medium recovery, F5, with twin boom hoist.

NOTE

1. Stock Type classifications are correct at time of compilation. Users should check Standard Defence Supply System (SDSS) for current Stock Type classifications.