

SCES No. 11513/3

ISSUED MAR 88

AUSTRALIAN ARMY

SIMPLEX

COMPLETE EQUIPMENT SCHEDULE

FOR

2540-66-015-5449      EQUIPMENT KIT , VEHICULAR , TRUCK , UTILITY , LIGHTWEIGHT ,  
MC2 , 2 - 1 / 4 LITRE PETROL ENGINE , MANUAL TRANSM , 12 V  
ELECTRICAL SYSTEM , LANDROVER

Amendment Code Oa

(D . M . M . FRANCIS)  
MAJOR GENERAL  
CHIEF OF MATERIEL

AUTHORISED FOR USE WITHIN THE  
AUSTRALIAN ARMY BY COMMAND  
OF THE CHIEF OF THE GENERAL STAFF

PREPARED BY MATERIEL BRANCH (DIRECTORATE OF CAPITAL PROCUREMENT MELBOURNE ,  
ENTITLEMENTS AND SCALES SECTION) AND ISSUED BY SUPPLY DIVISION , HQ LOGISTIC COMMAND SCES NO. 11513/5

a	b	c	d	e	f	g	h
---	---	---	---	---	---	---	---

ITEMS REQUIRED TO MAKE UP THE EQUIPMENT SET

PART 1 (Principle Items)

NIL

PART 2A (Items Required for Normal  
Operation of Equipment)

	1	2540-66-010-5907	CHAIN ASSEMBLY , TYRE , 7 . 50 BY 16			4	n
	2	2640-00-050-1229	VALVE CORE , PNEUMATIC TYRE			5	X
	3	2640-00-060-3550	CAP , PNEUMATIC VALVE , BRASS , SEALING AND DEFLATING , 5/16 IN . UNEF INT THD			5	x
Oa	4	4010-66-086-8463	CHAIN ASSEMBLY , SINGLE LEG , STEEL , CRANE TYPE , 3 . 7 M LG , 0 . 280 IN . DIA , 12544 LB NOMINAL BREAKING STRENGTH	AY		1	N
	5	4320-00-852-9036	PUMP , INFLATING , MANUAL , HAND OPERATED , SINGLE ACTION , W / 30 IN . LG HOSE AND ADAPTOR			1	X
Oa	6	4910-66-054-4679	GUAGE , TYRE PRESSURE , SELF - CONTAINED , PORTABLE , BAR TYPE , 20 TO 140 PSI RANGE , 2 PSI CALIBRATIONS , 165 MM O / A LG , W / POCKET CLIP			1	X

a	b	c	d	e	f	g	h
Oa	7	5110-66-011-0377	AXE , SINGLE BIT , 2 KG , 820 MM LG			1	X
	8	5120-66-012-6821	HANDLE MATTOCK – PICK , 5 LB PICK , 32 IN .LG			1	X
Oa	9	5120-66-012-6893	PICK , DIGGING , POINT AND CHISEL ENDS , 5 LB , W / O HANDLE			1	X
	10	5120-66-013-6747	WRENCH , ADJUSTABLE , METRIC , 250 MM LG			1	X
Oa	11	5120-66-014-0251	PLIERS , COMBINATION , SIDE CUTTING , W / PIPE GRIP AND SERRATED JAWS , INSULATED , 8 IN . LG			1	X
	12	5120-66-018-5997	SOCKET , SOCKET WRENCH , BI-HEX , 1 / 2 IN . SQ DRIVE , DEEP STYLE , 13 / 16 IN . A / F			1	X
	13	5120-66-026-0206	SCREWDRIVER , FLAT TIP , METRIC , CELLULOSE ACETATE HANDLE , 8 MM W TIP , 150 MM LG BLADE			1	X
Oa	14	5120-66-093-8563	SHOVEL , HAND , GS , RD POINT BLADE , PLASTICS D – TYPE HANDLE , BLACK OR DARK GREEN , 35 – 1 / 2 IN . LG O / A			1	X
	15	5140-66-067-5483	ROLL , TOOLS AND ACCESSORIES , CLOTH COATED NYLON , 2 POCKETS , 14 LOOPS , 690 MM LG BY 380 MM W , W / 2 FLAPS			1	X

a	b	c	d	e	f	g	h
16	6230-99-942-7876	LIGHT , EXTENSION , C / W CABLE AND PLUG , W / O GLOBE			1	N	
17	6240-66-010-7640	LAMP , INCANDESCENT , 12 V , 5 W , SINGLE CONTACT BAYONET BA15S BASE , “ G “ SHAPE , CLEAR			5	X	A
18	5140-66-013-8678	LAMP , INCANDESCENT , 12 V , 6 W , SINGLE CONTACT BAYONET ( BA9S ) BASE , “ S “ SHAPE , CLEAR			2	X	
19	6240-66-022-3583	LAMP , INCANDESCENT , 12 V , 21 / 6 W , DOUBLE CONTACT BAYONET INDEXING BAY 15D BASE , “ S “ SHAPE , CLEAR			2	X	
20	6240-66-026-0478	LAMP , INCANDESCENT , 12 V , 50 / 40 W , DOUBLE CONTACT PREFOCUS BASE , “ T “ SHAPE CLEAR			1	X	
21	7240-66-021-5710	CAN , DISPENSING , FUNNEL TOP , TINPLATE , 500 ML CAPACITY , W / O HANDLE			1	X	
22	7240-66-054-8602	CAN , WATER , MILITARY , PLASTICS , 22 LITRE			1	X	
23	7240-99-802-2405	CAN , GASOLINE , MILITARY , STEEL , 4 . 5 GALLON			1	N	

	a	b	c	d	e	f	g	h
Oa	24	8110-66-016-0717	CAN, SCREW CAP, OIL, RECT SHAPE, 5 LT			1	N	
	25	8115-66-022-0114	BOX, SMALL PARTS, PLASTICS, 4-1/2 IN. LG BY 2-1/2 IN. W BY 2-3/4 IN. H, W/LID			1	X	

PART 2B (Optional Equipment)

N I L

PART 3 (Equipment Description and Information Section)

COLUMN HEADINGS

- a. Item No.
- b. NATO Stock No.
- c. Designation
- d. Unit of issue
- e. Quantity per sub-assembly
- f. Quantity per equipment
- g. Expendability classification
- h. Footnote

BRIEF GENERAL DESCRIPTION

A group of tools required to carry out user maintenance for Land Rover.

ASSOCIATED DOCUMENTS

AC in WM 23959  
RPS 02005

NOTE

All expendability classifications are correct at time of compilation. Users should check Master Army Supply Catalogue (MASC) for current classification.

FOOTNOTES

A. One to be used with LIGHT EXTENSION, the others are spares.

