

RESTRICTED

SCES No. 11515/5

ISSUED JUL 86

AUSTRALIAN ARMY

SIMPLEX

COMPLETE EQUIPMENT SCHEDULE

FOR

2540-66-096-4975

EQUIPMENT KIT , VEHICULAR , TRUCK , UTILITY , LIGHTWEIGHT ,  
MC2 , 4 BY 4 , 6 CYLINDER PETROL ENGINE , MANUAL TRANSMN ,  
12V ELECTRICAL SYSTEM , LANDROVER SERIES 3

(D . M . M . FRANCIS)  
MAJOR GENERAL  
CHIEF OF MATERIEL

AUTHORISED FOR USE WITHIN THE  
AUSTRALIAN ARMY BY COMMAND  
OF THE CHIEF OF THE GENERAL STAFF

PREPARED BY MATERIEL BRANCH (DIRECTORATE OF CAPITAL PROCUREMENT MELBOURNE ,  
ENTITLEMENTS AND SCALES SECTION) AND ISSUED BY SUPPLY DIVISION , HQ LOGISTIC COMMAND SCES NO. 11515/5

RESTRICTED

RESTRICTED

SCES No . 11515/5

ISSUED JUL 86

a                      b    c    d              e              f              g              h

ITEMS REQUIRED TO MAKE UP THE ACCESSORY  
MAINTENANCE KIT

PART 1 ( Principle Items )

NIL

PART 2A ( Items Essential to Operation  
of Equipment )

1	2640-00-050-1229	VALVE CORE , PNEUMATIC TYRE				5	X
2	2640-00-060-3550	CAP , PNEUMATIC VALVE , BRASS , SEALING AND DEFLATING , 5/16 IN . UNEF INT THD				5	X
3	4010-66-086-8463	CHAIN ASSEMBLY , SINGLE LEG , ALLOY STEEL , 9/32 IN . DIA OBLONG LINK ONE END , LATCH HOOK OTHER END 3 . 75 M LG , 3136 LB SWL	AY			1	N
4	4030-66-044-0125	SHACKLE , LARGE BOW , ALLOY STEEL , ZINC COATED , 5/8 IN . DIA OF MATERIAL IN BODY , 1 . 850 TONS SWL				2	X
5	4320-00-852-9036	PUMP , INFLATING , MANUAL , HAND OPERATED , SINGLE ACTION				1	X
6	4910-66-054-4679	GUAGE , TYRE PRESSURE , SELF CONTAINED , PORTABLE , BAR TYPE , 20 TO 140 PSI RANGE , 2 PSI CALIBRATIONS , 165 MM O/A LG W / POCKET CLIP				1	X

RESTRICTED

SCES No. 11515/5

ISSUED JUL 86

a	b	c	d	e	f	g	h
7	5110-66-011-0377	AXE , SINGLE BIT , 4-1/2 LB HEAD , 5-1/2 IN . W CUTTING HEAD , 32 IN . LG OF HANDLE			1	X	
8	5120-66-012-6821	HANDLE MATTOCK – PICK , 5 LB PICK			1	X	
9	5120-66-012-6893	PICK , DIGGING , W/O HANDLE , 5 LB			1	X	
10	5120-66-013-6747	WRENCH , OPEN END , ADJUSTABLE , 250 MM NOM SIZE			1	X	
11	5120-66-014-0251	PLIERS , COMBINATION SIDE CUTTING , W/PIPE GRIP AND SERRATED JAWS , INSULATED , 6 IN . NOM LG			1	N	
12	5120-66-018-5997	SOCKET , SOCKET WRENCH , BI-HEXAGON , 1/2 IN . SQ DRIVE , DEEP STYLE , 13/16 IN . A/F			1	N	
13	5120-66-024-7832	SCREWDRIVER , CROSSTIP , CELLULOSE ACETATE HANDLE , PHILLIPS NO . 3 BY 150 MM LG BLADE 3 – 6			1	X	
14	5120-66-026-0206	SCREWDRIVER , FLAT TIP , CELLULOSE ACETATE HANDLE , 8 MM W TIP BY 150 MM LG BLADE			1	X	

RESTRICTED

SCES No . 11515/5

ISSUED JUL 86

a	b	c	d	e	f	g	h
15	5120-66-066-0795	WRENCH , SOCKET , WHEEL NUT , DOUBLE ENDED , HEX , 15 / 16 IN . BY 1 - 1 / 8 IN . A / F			1	X	B
16	5120-66-093-8563	SHOVEL , HAND , GS , RD POINT BLADE , PLASTICS D HANDLE , BLACK OR DARK GREEN 35 - 1 / 2 IN . LG O / A			1	X	
17	5129-99-822-2615	SPANNER , BOX , SINGLE SOCKET , OFFSET TYPE , 1 . 10 IN . A / F 8 IN . LG HANDLE			1	X	
18	5120-66-067-5483	ROLL , TOOLS AND ACCESSORIES , CLOTH , COATED , NYLON , 2 POCKETS , 14 LOOPS , 690 MM LG BY 380 MM W , W / 2 FLAPS			1	X	
19	5340-66-010-2790	PADLOCK , BRASS , SO;ID CASE , STEEL SHACKLE , 45 MM IN . W , 19 MM SHACKLE CLEARANCE			1	X	
20	5340-66-025-0498	HOLDER KEY , STEEL , 3 / 4 IN . ID			2	X	
21	6230-99-942-7876	LIGHT , EXTENSION , C / W CABLE AND PLUG , W / O GLOBE			1	N	
22	6240-66-010-7460	LAMP , INCANDESCENT , 12V , 5 W , SINGLE CONTACT BAYONET CANDELABRA BASE , " G " SHAPE , CLEAR			3	X	A

RESTRICTED

SCES No .11515/5

ISSUED JUL 86

a	b	c	d	e	f	g	h
23	6240-66-010-8161	LAMP , INCANDESCENT , 12V , 21W , SINGLE CONTACT BAYONET CANDELABRA BASE , “ S “ SHAPE , CLEAR			2	X	
24	6240-66-013-8678	LAMP , INCANDESCENT , 12V , 6W , SINGLE CONTACT BAYONET ( BA 9S ) BASE , “ S “ SHAPE , CLEAR			2	X	
25	6240-66-022-3583	LAMP , INCANDESCENT , 12V , 21 / 6W , DOUBLE CONTACT BAYONET CANDELABRA INDEXING ( BAY 15D ) BASE , S SHAPE , CLEAR			2	X	
26	7240-66-021-5710	CAN , DISPENSING , FUNNEL TOP , TIN PLATE , 500 ML CAPACITY , W / O HANDLE			1	X	
27	7240-66-054-8602	CAN , WATER , MILITARY , PLASTICS , 22 LITRE			1	X	
28	7240-99-802-2405	CAN , GASOLINE , MILITARY , STEEL , 4 – 1 / 2 GAL			2	N	
29	8110-66-016-0717	CAN , SCREW CAP , OIL , RECT SHAPE , 5 LITRE ,			1	N	
30	8115-66-022-0114	BOX , SMALL PARTS , PLASTICS , 4 – 1 / 2 IN . LG BY 2 – 1 / 2 IN . W BY 2 – 3 / 4 IN . H , W / LID			1	X	

RESTRICTED

SCES No . 11515/5

ISSUED JUL 86

a	b	c	d	e	f	g	h
31	9905-66-048-0206	TAG , MARKER , BRASS , RD , 1-1/4 IN . DIA			2	X	
		<u>PART 2B</u> (Optional Equipment)					
		NIL					

RESTRICTED

SCES No. 11515/5

PART 3 (Equipment Description and Information Section)

COLUMN HEADINGS

- a. Item No.
- b. NATO Stock No.
- c. Designation
- d. Unit of issue
- e. Quantity per sub-assembly
- f. Quantity per equipment
- g. Expendability classification
- h. Footnote

BRIEF GENERAL DESCRIPTION

A group of tools assembled to enable maintenance of TRUCK, UTILITY, LIGHT, GS, CARGO, LANDROVER SERIES 3.

NOTE

All expendability classifications are correct at time of compilation. Users should check Master Army Supply Catalogue (MASC) for current classification.

FOOTNOTES

- A. Qty 1 for light extension, two spare.
- B. For removing wheel nuts on 1/2 ton trailer.

SCES No. 11515/5

ISSUED JUL 86

RESTRICTED

