

TRUCK UTILITY LT MC2 - LAND ROVER SERIES 3 - ALL TYPES
WHEEL RIMS

MISCELLANEOUS INSTRUCTION

Introduction

1. There are two types of wheel rims fitted to the Series 3 Land Rover.
2. This instruction has been completely revised and identifies each rim type to its compatible vehicle.

Detail

3. Earlier vehicles delivered to the Army were fitted with wheel rims identified by the manufacturer's part number 272309. This number is stamped on the outside face of the wheel rim hub. This rim was fitted to vehicles with body numbers up to and including body number 39065. This rim has full wheel nut thread engagement.
4. Vehicles from and including body number 39066 were fitted with wheel rims identified by manufacturer's part number AYG 8038/AYG 8038 XX. This number is stamped on the raised strengthening rib on the outside face of the wheel rim hub. (See Fig 1).




FIG 1 - LATER TYPE SERIES 3 WHEEL RIM

5. These later wheel rims do not have full wheel nut thread engagement but this is not detrimental to wheel nut retention.



CAUTION:

1. Later type wheel rims, as detailed in paragraph 4, can be fitted ONLY in Complete Sets to earlier type Series 3 Land Rovers.
2. Earlier type wheel rims, as detailed in paragraph 3, ARE NOT TO BE FITTED to the later type Series 3 Land Rovers.

E N D

